

1/4" = 1'-0"


A.1



PATIO COVER LAYOUT



SIDE ELEVATION



GENERAL NOTES:

- ROOF OVERHANGS @ 18" TYPICAL
- ALL TRUSSES SHALL BE INSTALLED AND BRACED TO MANUFACTURER'S SPECIFICATIONS
- ROOF SHEATHING TO BE 7/16" CDX
- ALL ROOF FRAMING @ 24" O.C.
- ALL TRUSSES SHALL CARRY MANUFACTURER'S STAMP
- ASPHALT SHINGLE ROOFING
- ALL TRUSSES SHALL HAVE DESIGN DETAILS AND DRAWINGS ON SITE FOR FRAMING INSPECTION
- NO TRUSS SHALL BE FIELD-ALTERED WITHOUT PRIOR BUILDING DEPT. APPROVAL OF ENGINEERING CALCULATIONS
- REFER TO STRUCTURAL ENGINEERING CALCULATIONS FOR DETAILS, FOOTINGS, BEAMS, POSTS, CONNECTORS, AND HOLD DOWN SPECIFICATIONS
- ENGINEERING SUPERCEDES ALL CALLOUTS, DETAILS, AND DIMENSIONS.

NARRATIVE:

- PROPOSAL TO CONSTRUCT A NEW COVERED PAVILION FOR A SCHOOL TO HELP REMEDIATE THE COVID-19 RESTRICTIONS IMPOSED BY WASHINGTON STATE.

WHILE EVERY EFFORT HAS BEEN MADE IN THE PREPARATION OF THIS PLAN TO AVOID MISTAKES, THE DESIGNER CANNOT GUARANTEE AGAINST HUMAN ERROR. THE CRAFTSMEN AND SUBCONTRACTORS ON THE JOB MUST CHECK ALL DIMENSIONS, LAYOUTS, AND OTHER DETAILS—AND SEEK CLARIFICATION WHERE NECESSARY—PRIOR TO THEIR PHASE OF CONSTRUCTION. EAGLE BUILDING COMPANY IS NOT LIABLE FOR ERRORS ONCE A SUB-CONTRACTOR'S PHASE OF CONSTRUCTION HAS BEGUN.